

4607/ /13-12-2019 & 5234 /26-11-2020

	μ.		1501- +	
μ				
02	1	- μ	02-02-01-00	
02.1	2	μ μ μ		
03.3	3	,	02-02-01-00	
04.1	4	- μ	08-01-01-00	
14	5	μ μ μ		
15	6	μ μ μ 3,0m		
16	7			
18.1	8	μ , 2 3	02-06-00-00	- μ μ μ
19	9	μ μ 200mm		
20	10	μ	02-07-01-00	μ μ μ
01	11	5,00 m μ	02-04-00-00	μ
04.2	12	μ μ ()	02-07-03-00	μ

	μ.		1501-+	
μ				
29.2.2	13	, μ C12/15 , μ	01-01-01-00	μ μ
			01-01-02-00	μ
			01-01-03-00	μ
			01-01-04-00	μ μ
			01-01-05-00	μ μ
			01-01-07-00	
			01-03-00-00	μ
			01-04-00-00	μ ()
			01-05-00-00	μ () μ
29.4.1	14	μ . μ , μ C20/25 , μ	01-01-01-00	μ μ
			01-01-02-00	μ
			01-01-03-00	μ
			01-01-04-00	μ μ
			01-01-05-00	μ μ
			01-01-07-00	
			01-03-00-00	μ
			01-04-00-00	μ ()
			01-05-00-00	μ () μ

	μ.		1501-+	
μ				
29.4.4	15	μ μ C20/25	01-01-01-00	μ μ
			01-01-02-00	μ
			01-01-03-00	μ
			01-01-04-00	μ μ
			01-01-05-00	μ μ
			01-01-07-00	
			01-03-00-00	μ
			01-04-00-00	μ ()
01-05-00-00	μ () μ			
29.4.5	16	μ μ C20/25	01-01-01-00	μ μ
			01-01-02-00	μ
			01-01-03-00	μ
			01-01-04-00	μ μ
			01-01-05-00	μ μ
			01-01-07-00	
			01-03-00-00	μ
			01-04-00-00	μ ()
01-05-00-00	μ () μ			
30.2	17	μ μ μ , μ μ B500C	01-02-01-00	μ μ
30.3	18	μ μ μ , x μ μ B500C	01-02-01-00	μ μ
64.1	19	μ	08-03-03-00	μ
5.10	20	μ μ	08-03-02-00	μ μ
12.01.01.06	21	μ , μ μ μ , μ μ 1916 μ μ 120 μ 1916 μ μ D800 mm		

	μ.		1501-+	
μ				
12.03.01	22	T μ μ 200mm		
01.1	23	μ	05-03-03-00	μ
02.2	24	0,10 m (. . . -155)	05-03-03-00	μ
03	25		05-03-11-01	
04	26			
\ 6	27	μ	05-03-11-04	
08.1	28	m μ , μ μ 0,05	05-03-11-04	
01.2.3	29	1 1317-2, W3 , μ μ μ , μ μ		
06	30		05-04-04-00	
08.3	31	1 , μ 1 μ , EN 12899-		
09.1	32	, , 0,90 m		
09.4	33	μ μ μ		
10.1	34	mm (1 1/2") μ DN 40	05-04-07-00	μ
17.1	35	μμ μ μ		

03/07/2024

03/07/2024

03/07/2024

μ. .

. /